



# 73rd MORSS CD Cover Page

UNCLASSIFIED DISCLOSURE FORM CD Presentation

712CD



21-23 June 2005, at US Military Academy, West Point, NY

**Please complete this form 712CD as your cover page to your electronic briefing submission to the MORSS CD. Do not fax to the MORS office.**

**Author Request (To be completed by applicant) - The following author(s) request authority to disclose the following presentation in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.**

Name of Principal Author and all other author(s):

Mark D. Reid, The MITRE Corp  
Lórien Saenz, The MITRE Corp  
Dr. Joseph Raquepas, HQ AFSPC/XPY  
Maj Christopher Solo, HQ AFSPC/XPY

Principal Author's Organization and address:

The MITRE Corporation  
1155 Academy Park Loop  
Colo Spgs, CO 80910

Phone: 719.572.8255

Fax: 719.572.8345

Email: mark.reid@mitre.org

Original title on 712 A/B: A Critical Model Review of the System Effectiveness and Analysis Simulation (SEAS)

Revised title: Space-Oriented Capabilities of SEAS for AFSPC

Presented in (input and Bold one): (**WG 5**, CG\_\_\_\_, Special Session \_\_\_\_, Poster, Demo, or Tutorial):

This presentation is believed to be:  
**UNCLASSIFIED AND APPROVED FOR PUBLIC RELEASE**

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 2005</b>		2. REPORT TYPE <b>N/A</b>		3. DATES COVERED <b>-</b>	
4. TITLE AND SUBTITLE <b>Space-Oriented Capabilities of SEAS for AFSPC</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>MITRE Corp.1155 Academy Park Loop Colorado Springs, CO 80910</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release, distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>See also ADM201946, Military Operations Research Society Symposium (73rd) Held in West Point, NY on 21-23 June 2005. , The original document contains color images.</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>UU</b>	18. NUMBER OF PAGES <b>27</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			



# ***Space-Oriented Capabilities of SEAS for AFSPC***

**Presentation to 73<sup>rd</sup> MORS Symposium  
United States Military Academy  
22 June 2005**

**Space Analysis Division (HQ AFSPC/XPY)  
Mark Reid (MITRE)  
Lórien Saenz (MITRE)  
Dr Joe Raquepas (XPY)  
Maj Chris Solo (XPY)**



# Purpose of Study



- Assess SEAS for its ability to address AFSPC's space-oriented analyses
- Discover, be aware of, and appreciate SEAS' strengths and weaknesses
- Understand to which questions and studies SEAS could be effectively applied
  - Mission-level
  - Campaign-level



# Purpose of Our Presentation

- Make you aware of our findings
- Have an active discussion of the strengths and weaknesses of our work
  - This is a working group after all
- Solicit your inputs and comments which will possibly (and not necessarily surprisingly) be:
  - Parochial
  - Biased (this is not a negative word)
  - Passionate



# Findings



- SEAS is more of a modeling environment than a model
- Each SEAS model (implementation of a new scenario) requires much building from scratch
- As such, the quality of the model is highly dependent upon:
  - The modelers' SEAS proficiency
  - The modelers' understanding of combat warfare
  - The analysts' ability to engage in scenario development



# More Findings

- As such, there is little validity or accreditability transferred forward from past models/studies, as is common for most other combat warfare models (Legacy)
- There are differences between how Legacy and SEAS models are constructed



# Legacy Approach



- Legacy models usually built on consensus of user community with pre-stated and agreed-upon:
  - Requirements
  - Algorithms
  - Processes
  - Approaches
  - Implementation



# Legacy Pros & Cons



- Pros
  - Understood and agreed-upon representation of warfare, systems, scenarios, and processes
  - Results more readily accepted by community
  - The buy-in process occurs up front
- Cons
  - Less flexibility and responsiveness when changes are required



# SEAS Approach



- SEAS models usually built by small, self-contained group of modelers
  - In close conjunction with study sponsor/tasker and analysts



# SEAS Pros & Cons



- Pros
  - Tighter feedback loop for model development & refinement
  - More intimate understanding of client's requirements
  - Relatively easy to learn
  - Analyst has access to model implementation
  - Excellent at exploratory analysis
  - Well-suited to smaller (mission-level) scenarios



# SEAS Pros & Cons



- Cons
  - Usually takes more time in development
    - Scenario implementation must be accomplished anew
  - Little broad-based (peer) review
  - Extremely dependent on developer's understanding of combat warfare
    - Ground, air, and space
  - Validation and accreditation harder



# Exploratory Analysis & Agent Based Models



- SEAS has been described as an agent-based model (ABM)
- Is it really?



# Is SEAS an ABM?



- Could be . . .
- Its architecture is surely designed for it
- ABMs were designed to elicit emergent behavior
  - Depends on how the modeler codes the agents' rules of behavior and action
- There are two ends of this behavior spectrum:
  1. Developer models warfare with few constraints on the agents
    - Agents produce previously unknown or unobserved behavior from which the analyst derives new understandings
  2. Developer tightly scripts agent behavior to MSFD actions
    - Agents don't diverge from generally expected behavior of combat entities and do conform to military doctrine



# Is SEAS an ABM?



- We conclude implementations of SEAS for the space community to date haven't been
  - And this is a good thing
  - We want our combat warfare model to:
    - Conform to approved doctrine
    - Agree with Joint Staff-propagated Analytic Guidelines
  - We don't want our combat warfare model to:
    - Have brigades or wings autonomously develop new approaches to warfare



# Ability of SEAS to Represent Desired Capabilities



- Since SEAS models are built study by study, “you can model anything you want”<sup>1</sup>
- There is a difference between
  - What has been modeled by someone, somewhere, sometime, and
  - What could be modeled



# A Conclusion on Scope of Use of SEAS



- We're comfortable using SEAS at the mission level
  - Models and scenarios represent the whole of the question
- Can SEAS be used at the campaign level?



# Campaign-Level???



- Maybe . . .
- Limited by time to build model
  - Not inconsiderable
- Limited by amount of computing power
- If those limits exist, one needs to “Slice”
- Slicing
  - Building a smaller representation of the full scenario
  - Ensure operationally correct proportions of components (wings, brigades, sensors, C2, etc)
  - More tractable for building scenario
- But . . .



# Is Slicing a Valid Technique?



- We found no (pure) analytic precedent
- Limited academic foundation
- No standard procedure for slicing
  - No algorithm or heuristics for how to slice
- How do we answer our question?



# Follow-On Work



- Conduct a second phase of our work
  - Determine for ourselves if slicing is valid for campaign-level scenarios
- Two approaches



# Approach 1

- Use a common scenario description (MSFD) and two independent teams
  - Team 1: create a full, campaign-level representation of the scenario
  - Team 2: independently create a sliced representation of the same scenario
    - Force thinning & independent agent rules
- Simulate
- Compare results



# Approach 1 Results



- Likely outcome: differences will exist in results
- We'll need to make iterative changes in sliced model to obtain similar results as full scenario
- What do we gain?
  - Understanding of steps required to replicate
  - Distilled into heuristics or guidelines for future use
  - An academic precedent that says at least that slicing is possible



# Approach 1 Results (cont)



- Issues
  - It will be difficult to build two independent teams who are each qualified to construct these two scenarios
  - We will essentially be guaranteed differences
  - May have too many degrees of freedom
    - Thinning proportions
    - Agents' rules



# Approach 2



- Again use a common scenario description (MSFD) and two independent teams
- Team 1 again creates a full, campaign-level representation of the scenario
- Team 2 independently chooses units for inclusion in the sliced scenario
  - **Can** use agent rules extracted from Team 1's full model
- Simulate
- Compare



# Approach 2 Results



- Likely outcome:
  - Again, differences will exist in results
  - But this approach removes one dimension of variation
  - Different results will be more directly explained by proportions of units included in the sliced scenario
- Again make iterative changes in sliced model to obtain similar results as full scenario



# Approach 2 Results (Cont)



- We'll again need to iterate making changes in sliced model to obtain similar results as full scenario
- What do we gain?
  - The same understanding of:
    - Steps required to replicate the results of a full scenario
    - Creation of heuristics/guidelines
  - An academic precedent that says (at least) that slicing is possible
- Issues
  - Less clear academic independence



# What's Next?



- Accomplish our follow-on work
  - Suggestions/inputs very welcome
- Share our results with SEAS Users Group
- Present to this Working Group next summer



# Let's Talk